

Vt medici referunt. ut est probat apte  
 Urina fit humano digestio corpore certe  
 In ma quod stomacho fit. in epate fit q; sedā.  
 Tertia fit in vasis reliq; cu sangi ruda  
 Epate format currit p corp alendu.  
 Quod quicq; in fiat nec referendu.  
 Cuius pmi stomacho nulla cibaria captat  
 Illa tenet coct atq; parū. sic atq; coaptat  
 Vt sint in forma tyliane tē ipia redacta.  
 Hic in pma in stomacho fit coctio facta.  
 Hic in intestina portarariū q; uocatur.  
 Hic in pmi caput a stomacho sic cocta meatu  
 Hic in portarariū sua p loca coacta plenu  
 Hic in vasis h eade cui unguē in duodenū.  
 Hic in portā recipit duodenū inuent amica  
 In euno. q; in eode ppxima unco.  
 Hic in ieuunū directa cibaria tandē  
 Hic in pmutantē transire via p eandē.  
 Hic in aq; qd ex illis ibi durū. r q; si sex ē  
 Hic in ue ad recessū descendē ppxa lex ē  
 Purius hunc remanēt partē r linacior in  
 Epate affert i coactate de inde  
 Illud ibi coctē coctū forma q; pōre  
 d eūnt. assūnt formā ppxū q; colore.  
 Sanguis atq; cū simūl humoz reliq;  
 Vt nichil h aliud sit p gūatio q;  
 Tunc ex illo generat humoz r; istū  
 Colericū caput in p fētū r cūstū  
 Duri r gūi. qd ibi qū sex gūat  
 S plen recipit uelut galienū r testificat.  
 Flegmaticū remanēt cū sāgne comoditate  
 In nimia cui qā sangi curtilitate  
 Corpū ad partes fluit omī ut foueat  
 Corp eo. densi nedi fluat impediāt  
 S; de flegmatico qd aq; si ē ad ibidē.  
 Vt galienū aut medicū mirabilis idē.  
 Ad quāsdā uena qco sermone uocata.  
 Quilū dūngitur iuxta spinale locata  
 F q; dā tenuel uenal simūl q; capillis  
 Vnde capillares uene dūt ab illis.  
 Et qm debent ut ceta mībra foueri  
 P ostiora refert tūde galienū habi  
 Illi flegmatico partē de sāgne iuxta  
 Sanguis ut partē bñ sic nutrita p istā  
 Hic ita directū qly sibi suscipiente  
 Sanguis r partē p illā distribuentē  
 Onbriū ut breuit paulo nō dixim ante  
 Part remanēt quū tē ē it in partē  
 Quā utriū ad uenē. q; calefacta cruore

Et si urina suo ppo discreta colore  
 hinc ad uelut uenient. ibi plurib; horis  
 S tans tandē uge ppxū ē reddita poris  
 Et qā nātā nichilū qnq; molestā  
 Atq; i hinc noma malū qnq; sup stat  
 Inde bonā qnq; malā cū nō uideam  
 Urinā q; sic bona nō notū faciam.  
 Et si urina bona sūba cū modata  
 Illi ē n pūgū r nūmū attenuata.  
 Cū rufū ut subrufū formata colore  
 Illi r sedū cū parte sit i feriore  
 Alū cōtinuū diuulū parte nec ulla  
 h si urina simul cōcēta manēt mala nulla  
 Et qm tenuel pmi liq; ē alū  
 Cū q; sit albedo cunctoz ppxa color  
 Hic duo ungenal habeant qd significat  
 Hic of exponem i pmi notificat.  
 De tē hvi r uca r a r uosa.  
 P rincipio febris medū si forte uidebis  
 V rinal tenuel simūl r pauca r aq; las  
 Quā atā crudā multā parū q; calore  
 Illi urine causā nō ambigū ē.  
 Hic a qd aq; la uenit. q; pauca. q; attenuata  
 S igitur qd sit decoctio debilitata.  
 Hic ē qā debilit ē calor. unde  
 Hic il coctē epate. et cū ē qā multū habuē  
 Nā n cōgenel foret imodica cibo  
 Cōmutata forent color illū an q; eoz  
 S; qā nūl hoz tandē diuificat  
 Cōnstat. nātē calor hinc qā debilitat  
 Hic albedo qd ē tūc tenuel q; liq; r  
 d igestā crudā causā nocet ē calorū  
 Quā multā h sic febre declinatē uidēt  
 Dicer febrile tē dūcellūte calorē.  
 De tē hvi r uca r uosa r a r uosa.  
 Hic tenuel caropo subpallida pallia glauca  
 Quā dūstrat dūstrat mūta. colorū istū  
 In uenel uenū; tūc reddūte calorē  
 Quā atā crudā nodū spūāte ualente.  
 Et h r emū leuū tūc imūtare calorē  
 Quā atā q; p parū denūtare calorē.  
 De tē hvi r uca r uosa r a r uosa.  
 Hic cū sub rufū r rufū ducta colore  
 In dūcat ydropicū mala ppxa manēt cuore.  
 Epate onū pueriū paulūq; febricitat.  
 Vnde bonū color h hanc urina comitē  
 Quā uelut ydropicū h emēta colore manēt.  
 S ic r aq; la mūmū uenit hūc r uca r uosa  
 Hic epate medū p ea quā carmit aq; la.

